

[illegible]

[illegible]

Star Charge	Sumit 220W_0M_AC02200518	Confirmed	February 03, 2023	StarCharge	hw_usb20w	Direct connection	0	DCPP J20N 1.6	SIM	5.1.1.3.10208 and 5.1.1.4.1	Not Tested	AC	T2 Socket	No	No	Yes	Unknown	Not tested	Not tested	
Star Charge	Sumit AC02200518	Confirmed	October 20, 2023	StarCharge	hw_usb20w	Direct connection	0	DCPP J20N 1.6	SIM	1.0.0.5.7	Not Tested	AC	T2 Socket	Yes	No	Yes	Unknown	Not tested	Not tested	
StarCharge Electronics	StarCharge Electronics controller	Confirmed	June 20, 2023	StarCharge	hw_usb20w	Direct connection	0	DCPP J20N 1.6	SIM	1.0.0.5.7	Not Tested	AC	T2 Socket	Yes	No	Yes	Unknown	Not tested	Not tested	
StarCharge	ZenCharger	Confirmed	August 14, 2023	ZenCharger	hw_usb20w	Direct connection	2	DCPP J20N 1.6	SIM	1.1.1+1+CHARGE/POINT 2	Not Tested	AC	T2 Socket	Yes	Not tested	No	No	Not tested	Not tested	
StarCharge	OC3086	Confirmed	February 14, 2023	StarCharge	hw_usb20w	Direct connection	0	DCPP J20N 1.6	SIM	1.0.0	Not Tested	DC	CS23 Cable	Yes	No	No	Unknown	Not tested	Not tested	
StarCharge	OC3086	Confirmed	January 10, 2023	StarCharge	hw_usb20w	Direct connection	0	DCPP J20N 1.6	SIM	2.0.0	Not Tested	DC	CS23 Cable	Yes	No	No	Unknown	Not tested	Not tested	https://support.lenovo.com/793b3z8b/1en1R4t14K5K5m5c5b7y4nu6-pd4n4/water-charger-points-in-use-en/Wbp-2-update-charger-point-settings
StarCharge	OC3086	Confirmed	December 10, 2024	StarCharge	hw_usb20w	Direct connection	0	DCPP J20N 1.6	SIM, LAN	09.01.GEN.000.005	Not Tested	DC	CS23 Cable	Yes	No	No	Unknown	Not tested	Not tested	https://support.lenovo.com/793b3z8b/1en1R4t14K5K5m5c5b7y4nu6-pd4n4/water-charger-points-in-use-en/Wbp-2-update-charger-point-settings
StarCharge	AC220-60	Confirmed	August 5, 2024	StarCharge	hw_usb20w	Direct connection	0	DCPP J20N 1.6	LAN/WIFI	1.0.0.0	Not Tested	AC	T2 Socket	Yes	No	Yes	Unknown	Not tested	Not tested	The charger doesn't support LMS protocols.
Technogen GmbH	Technogen Term TEH or 4	Confirmed	December 12, 2025	Technogen	hw_usb_4pin	Direct connection	1	DCPP J20N 1.6	SIM, LAN	1apn_0.1.0.0.2023100218008	Yes	AC	T2 Socket	Yes	Yes	Yes	Yes	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	Electrict verification works only with transgenosoftware 1.2.0!
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed	December 5, 2022	Technogen	p_4pin	Direct connection	0	DCPP J20N 1.6	SIM	11+110c6p6-75-1.42.0.8.7-g11668809541-49c2095	Not Tested	AC	T2 Socket	Optional	Yes	Yes	Unknown	Not tested	Not tested	
Technogen GmbH	Technogen P2, P2023101, P40	Confirmed																		